

Underhållsplanering: 2102 - BRF RISHÅLLA,

Typ av åtgärder: Alla
 Byggnad: Alla
 Byggnadsdel: Alla
 Inkludera ändringar: Nej
 Åtgärdsrader utan kostnader: Nej

Kod	Åtgärd	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039
	Summa/år	79	98	135	29	78	16	127	160	6728	377	0	2246	143	41	63	47	118	76	31
12121	Asfalt gångbar, omläggning, maskinläggning 500-1000 m2	0	0	0	0	0	0	0	62	0	0	0	0	0	0	0	0	0	0	0
12155	Asfaltytor, lagning, 10% av bruttoyta	0	0	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12216	Grus körbar, omläggning, handläggning >200 m2	0	0	52	0	0	0	0	0	0	0	0	0	52	0	0	0	0	0	0
21112	Träpanel, byte 25 % av ytan	0	0	0	0	0	16	0	0	0	0	0	0	0	0	0	0	0	16	0
21116	Träpanel, 2 ggr strykning	18	0	0	0	0	0	18	0	0	0	0	0	18	0	0	0	0	0	18
21323	Tegelfogar, omfogning 100% av ytan	0	0	0	0	0	0	0	0	0	0	0	1970	0	0	0	0	0	0	0
22211	Stuprör, byte galv/lack	0	0	0	0	0	0	0	0	209	0	0	0	0	4	0	0	0	0	0
22221	Hängrännor, byte galv/lack	0	0	0	0	0	0	0	0	719	0	0	0	0	8	0	0	0	0	0
22426	Taksprång 0.35-0.70 m, 2 ggr strykning	0	0	0	0	0	0	0	0	0	0	0	165	0	0	0	0	0	0	0
22616	Elskåp, 2 ggr strykning	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22681	Luckor övriga < 1 m2, byte plåt	0	0	0	0	0	0	0	0	0	0	0	15	0	0	0	0	0	0	0
24117	Träffönster 2-glas 1-luft < 1m2, strykning utsida och mellan	8	0	0	0	0	0	8	0	0	0	0	0	8	0	0	0	0	0	8
24223	Träffönster 3-glas 1-luft > 1m2, byte ytterbåge aluminium	0	0	0	0	0	0	0	0	164	0	0	0	0	0	0	0	0	0	0
24226	Träffönster 3-glas 1-luft > 1m2, strykning utsida	0	0	0	43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25138	Dörrar stål, 2 ggr strykning in- och utsida	2	0	0	0	0	0	2	0	0	0	0	0	2	0	0	0	0	0	2
25318	Dubbeldörrar trä, 2 ggr strykning in- och utsida	2	0	0	0	0	0	2	0	0	0	0	0	2	0	0	0	0	0	2
26321	Takpapp 2-lag, byte SEP 4000 + YEP 2500	0	0	0	0	0	0	0	0	0	0	0	0	0	21	0	0	0	0	0
26900	Tak, övrigt	0	96	0	0	0	0	96	0	0	0	0	96	0	0	0	0	0	96	0
27012	Takdetaljer samtliga, byte normal omfattning ca 15 %	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	0	0	0
27123	Skorsten tegel, omfogning	47	0	0	0	0	0	0	0	0	0	0	0	0	0	47	47	0	0	0
27311	Takfönster trä < 1 m², byte <1 m2	0	0	0	0	0	0	0	0	1197	0	0	0	0	0	0	0	0	0	0
30115	Rum h < 2.75 m yta < 10 m2, helmålning	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	20	0	0
31711	Laminatgolv, byte	0	0	0	0	0	0	0	21	0	0	0	0	0	0	0	0	0	0	0
52500	Stammar	0	0	0	0	15	0	0	0	0	100	0	0	0	0	15	0	0	0	0
5251V	Ventiler Kv-, Vv- och Vvc-ledn, byte ventiler	0	0	0	0	0	0	0	0	102	0	0	0	0	0	0	0	0	0	0
5252R	Avloppsledningar, rensning, nät och mark per lgh	0	0	60	0	0	0	0	60	0	0	0	0	60	0	0	0	0	60	0
52886	Blandare, byte tappventil	0	0	0	29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5651U	Värmeledningar exkl ventiler, byte per lgh	0	0	0	0	0	0	0	0	2059	0	0	0	0	0	0	0	0	0	0
5651V	Ventiler till värmeledningar, byte per lgh	0	0	0	0	0	0	0	0	133	0	0	0	0	0	0	0	0	0	0
5681U	Radiatorer exkl ventiler, byte per lgh	0	0	0	0	0	0	0	0	1139	0	0	0	0	0	0	0	0	0	0
5681V	Ventiler till radiatorer, byte per lgh	0	0	0	0	0	0	0	0	1006	0	0	0	0	0	0	0	0	0	0
60123	Rum 10-20 m2, byte elinstall. kompaktylsrör	0	0	0	0	0	0	0	17	0	0	0	0	0	0	0	0	0	0	0
63500	Belysning ledn.system, halogen	0	0	0	0	0	0	0	0	276	0	0	0	0	0	0	0	0	0	0
63782	Exteriörbelysning på vägg/tak, byte PL 26W	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0